

Mag EraSURE™ P3 - NSA Listed Maximum Security Degaussers...

For More Info

Click Here ---->



Now with the World's Fastest Cycle Time!

With its blazing fast 15 second cycle time, the Mag EraSURE™ P3 Degausser blows the doors off competitive degaussers. At 6 times faster than NSA Approved "pulse type" degaussers the P3 virtually pays for itself in increased productivity and reduced manpower requirements.

Here's another way to look at it.

HARD DRIVE DEGAUSSING CAPACITY			
	Pulse type	ME - P3	P3 Advantage
Hourly	40	240	200
Daily	320	1,920	1,600
Weekly	1,600	9,600	8,000
Annually	83,200	499,200	416,000

And speed isn't the only advantage of the P3's Permanent Rare Earth Magnet Design

- Listed on NSA Evaluated Products List NSA/CSS EPL-9-12A-E
- NSA Approved for LMR and PMR Drives up to 6,000 Oe and Magnetic Tape up to 2,800 Oe
- Max 14,000 Gauss (fixed magnet)
- Uses significantly less energy than electromagnetic degaussers
- Generates no heat - can be used continuously
- Quiet operation - no hearing protection required
- Virtually maintenance free
- Portable - mounted on height adjustable mobile table



Click Here ---->

Mag EraSURE™ P3



When it comes to complete and permanent removal of data on hard drives and other magnetic media, no other degausser can match the Mag EraSURE™ P3. The result of a joint effort by two industry powerhouses **Fujitsu**, and **SEM**, the Mag EraSURE P3 is an ideal device for fast and secure degaussing of hard disk drives and back-up tapes containing confidential or highly sensitive information. The Variable Height Transportable Table makes it perfectly suited for field operation, in office environments or in most data-centers.

The Mag EraSURE is fast, quiet, reliable and totally automatic. Rare earth permanent magnets generate no heat so the P3 can be used continuously.



Specifications

Mag EraSURE P3 Specification		
Operation time		15 seconds
Surface field strength	Top	200 gauss or less
	Bottom	120 gauss or less
Rated power		100V/240V – 50/60Hz, 1.5A
Temperature	Operating	14 to 104 degrees F
	Non-operating	-40 to 149 degrees F
Humidity	Operating	10 to 85% (non-condensing)
	Non-operating	5 to 95% (non-condensing)
Dimensions (unit only not mounted)		24"(W) x 39"(D) x 13"(H)
Weight (main body)		Approx 300 lbs.
Vibration and shock		Commercial shipping and handling
Dimensions mounted to Power Lift Table		32.5"(W) x 67"(D) x 24"(H) Lowered
		32.5"(W) x 67"(D) x 50"(H) Raised

Media Formats

Works with most desktop and notebook hard drives, even non-functioning drives. Completely removes data in 15 seconds.

HDD:

1.8", 2.5", 3.5"
(up to 1" height)

TAPE:

SDLT, DLT, LTO, QIC,
DAT, TRAVAN, AIT,
8mm, VHS Tapes

REMOVABLE DISKS:

Floppy, ZIP, REV, JAZZ



Recommended Accessory



NSA specification for disposal of hard drives calls for degaussing and **physical destruction**. SEM's Model 0101 **Hard Drive Crusher** is the fast, safe, easy solution.

At the touch of a button, it delivers a staggering 12,000 pounds of force to a conical punch causing catastrophic trauma to the hard drive chassis while destroying the internal platter. The unit is quiet, smooth and vibration free. Destruction takes only 15 seconds.

www.semshred.com

SEM is an ISO14001 Registered Company



Security Engineered Machinery
800.225.9293 • Fax 508.366.6814
info@semshred.com





TOP TEN REASONS

WHY THE “NEW” **MagEraSURE ME-P3** (v.2) is the **DEGAUSSER OF CHOICE** FOR “HIGH SECURITY” MAGNETIC MEDIA DEGAUSSING!

1. ***Highest Rated NSA Approved Degausser*** in the market (**6000 Oe Hard Drives / 2600 Oe Tape**). Approved for Current and Past (LMR) Hard Drive Technology, as well as Future Hard Drives based on **Perpendicular Magnetic Recorded (PMR) Technology** ~ extends the life of the product well into the future.
2. ***Mobile Design*** – Ergonomically designed for easy user operation and mobility from location to location. Fits through standard 30” doorway. Variable height power lift for ease of use.
3. Easy to operate with a ***single push button automatic process***.
4. Permanent Fixed Rare Earth Magnet Technology – Does not require electromagnetic methods to degauss...***therefore No Heat*** – allows for ***continuous operation*** with No Duty Cycles. Limited magnet degradation – shelf life over 50 years.
5. Quiet, fast, easy to operate - ***15 Second Automated Cycle. No load “pop” at end of cycle. Actual Degauss time is one second.***
6. Manufactured by Fujitsu – a ***World Wide Industry leader in Hard Drive Technology*** – have extensive insight to the future of magnetic media
7. Distributed by ***Security Engineered Machinery*** – a worldwide supplier of Destruction and Degaussing equipment to the Federal Government for over 40 years. ***On GSA Contract # GS-02F-0111P. SIN 75-200; 75-210***
8. World Wide ***Service and Support –Toll free.***
9. ***Annual re-certification process using High Density Hard Drives is available. 5 Yr WARRANTY.***
10. ***BEST VALUE in the market !***